


Chart of categories and materials

Guida alle tipologie e ai materiali

LIGHTING	SUSPENSION VERSION	TABLE VERSION	FLOOR VERSION	WALL VERSION	METAL	PLASTIC MATERIAL	OUTDOOR VERSION
Colette							
Giravolta							
Happy Apple							
L001 CW SUSPENSION							
L001 S SUSPENSION							
L001 ST FLOOR							
L001 SW SUSPENSION							
L001 T FLOOR							
L001 TA TABLE							
L001 W WALL							
L002 CW SUSPENSION							
L002 S SUSPENSION							
L002 ST FLOOR							
L002 SW SUSPENSION							
L002 T FLOOR							
L002 W WALL							
L004 CW SUSPENSION							
L004 S SUSPENSION							
L004 SW SUSPENSION							
L004 W WALL							
Time Out							

Legend

Legenda



All dimensions are expressed in millimeters
Tutte le dimensioni sono espresse in millimetri



Product suitable for outdoor use
Prodotto adatto per utilizzo in esterni



Product not recommended for outdoor use
Prodotto non adatto per utilizzo in esterni



Declaration of European conformity
Dichiarazione di conformità Europea

Lighting index

Indice lampade

PRODUCT NAME NOME PRODOTTO	PAGE PAGINA	PRODUCT NAME NOME PRODOTTO	PAGE PAGINA
Colette	032	L002	088
L003TA TABLE	036	L002 CW SUSPENSION	110
L003TB TABLE	038	L002 S SUSPENSION	096
Giravolta	010	L002 ST FLOOR	100
1799 TABLE	016	L002 SW SUSPENSION	098
1799/50 TABLE	020	L002 T FLOOR	102
1799/130 FLOOR	022	L002 W WALL	099
Happy Apple	140	L004	114
330, 331, 332 FLOOR	148	L004 CW SUSPENSION	129
330A WALL	140	L004 S SUSPENSION	119
330E - 331E SUSPENSION / FLOOR	147	L004 SW SUSPENSION	120
332E FLOOR	150	L004 W WALL	121
330S, 331S SUSPENSION	146	Time Out	133
L001	046		
L001 CW SUSPENSION	070		
L001 S SUSPENSION	054		
L001 ST FLOOR	064		
L001 SW SUSPENSION	058		
L001 T FLOOR	066		
L001 TA TABLE	060		
L001 W WALL	062		

“Light is warm,
light is cold,
light gives atmosphere,
light decorates,
light creates intimacy”

ALBERTO BASAGLIA NATALIA ROTA NODARI

“La luce è calda,
la luce è fredda,
la luce fa atmosfera,
la luce arreda,
la luce crea intimità”

Giravolta

The wireless outdoor lighting

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2017

EN — Inspired by Lanterns of times past, it is a wireless lighting distinguished by a contemporary design and suitable for outdoor environments. The name reflects its essence: the swivelling diffuser and the rechargeable feature recalls the great inventor Alessandro Volta and his main discovery, the battery.

IT — Ispirata alle lanterne di un tempo, Giravolta è una lampada wireless ricaricabile dal design contemporaneo, adatta per l'outdoor. Nel nome tutta la sua essenza: da un lato il suo diffusore orientabile, dall'altro il suo essere ricaricabile da cui il riferimento ad Alessandro Volta e alla sua principale invenzione, la pila.



Lighting lampada **Giravolta**
 Lounge armchair poltrona lounge **Babila Comfort**
 Pouf **Buddy**
 Coffee table tavolino **Buddy**
 Cushion cuscino **Social Plus**



EATING




LIVING



Lighting
Lampada



1799






1799



1799/50





Caffè del Tasso

Piazza Vecchia
Bergamo, Italy

Project: Café & Restaurant

Products: Giravolta lighting, Nolita side chair, armchair, barstool and table, Liberty table, Ara armchair, Glam chair

#Pedraligoodideas

Salone Internazionale
del Mobile 2018
Milan, Italy

Project: Exhibition stand

Architect: CalviBrambilla

Products: Giravolta lighting,
Reva sofa and lounge armchair,
Buddy coffee table





Bohem La Stazione

Paratico, Italy

Project: Florist, Café & Restaurant

Products: Giravolta lighting,
Tweet armchair, Inox table, Log armchair,
Nolita armchair, chaise-longue and table





Temporary installation

Paratico, Italy

Project: Outdoor

Products: Giravolta lighting,
Intrigo armchair, Laja table





Pedrali Solid Geometry

Salone Internazionale
del Mobile 2017
Milan, Italy

Project: Exhibition stand
Architect: CalviBrambilla
Products: Giravolta lighting, Nolita table,
armachair and chaise-longue

SIZES / DIMENSIONI

1799

Wireless polypropylene
and aluminium lighting

1799/50

Wireless polypropylene
and aluminium lighting

1799/130

Wireless polypropylene
and aluminium lighting

1799_MGN_10

Magnet kit, suitable fot items
1799 and 1799/50



electrical features / caratteristiche elettriche

- **Light:** LED ARRAY 2W 3,7V 500mA 3000K 157 lm Class III
- **Battery:** Lithium battery (Li-Po), over 8 hours operating time
- **Cable:** black, length 1,3 mtrs, with micro USB cable and battery charger with Europlug type C (europlug 7/16), for indoor use

AWARDS / PREMI



FINISHES / FINITURE


polypropylene and aluminium / polipropilene e alluminio



CERTIFICATES / CERTIFICAZIONI

EN 60598-2-4:1997 used in compliance with EN 60598-1:2015 (test report 0099CE17)
EN 60598-2-4:1997 usato in conformità con EN 60598-1:2015 (test report 0099CE17)

IP65 Suitable for outdoor use / IP65 Adatto per uso esterno



Colette


Iconic light

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2013

EN— Colette is a table or bedside lamp in polycarbonate that stands out for its sculptural shapes and the colour. A translucent cylinder diffuses the light only in correspondence of the half-sphere. Its transparency gives lightness to the whole lamp.

IT— Colette è una lampada da tavolo o da comodino in policarbonato che si esprime attraverso la plasticità delle forme e il colore. Un cilindro traslucido tenta di imprigionare la luce che si libera pienamente solo in corrispondenza della semisfera che con la sua trasparenza dona leggerezza all'intera lampada.



LIVING

Lighting lampada Colette
Low table tavolino Malmö
Lounge armchair poltrona lounge Malmö Relax



SLEEPING

Lighting lampada Colette
Low table tavolino Code
Pouf Wow



Lighting
Lampada







Pedrali Solid Geometry

Salone Internazionale
del Mobile 2017
Milan, Italy

Project: Exhibition stand
Architect: CalviBrambilla
Products: Colette L003TB lighting,
Oblique bar counter

#Pedraligoodideas

Salone Internazionale
del Mobile 2018
Milan, Italy

Project: Exhibition stand
Architect: CalviBrambilla
Products: Colette L003TB lighting,
Oblique bar counter



Industrial Symphony

Pedrali Headquarters,
Mornico al Serio, Italy

Project: Showroom
Architect: CalviBrambilla
Products: Colette L003TB lighting,
Oblique bar counter, Babila barstool



Pedrali Light frames


Salone Internazionale
del Mobile 2015
Milan, Italy

Project: Exhibition stand
Architect: Migliore+Servetto Architects
Products: Colette L003TA and L001S/BA lighting,
Ester side chair and armchair, Inox table,
Modus modular seating, Stylus table,
Malmö armchair, Tivoli side chair and armchair

SIZES / DIMENSIONI

L003TA

Polycarbonate lighting




L003TB

Polycarbonate lighting



FINISHES / FINITURE

polycarbonate / policarbonato



BI



RT



FU



TR



BT
L003TA
only



GT
L003TA
only

cable / cavo



TR

electrical features / caratteristiche elettriche

- **Light L003TA:** MAX 1X12W E14 220-240V 50/60 Hz IP20 Class II
- **Light L003TB:** MAX 1X24W E27 220-240V 50/60 Hz IP20 Class II

Light bulb included
Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008 + A11:2009 (test report N°0146CE13 • N°0260CE16)
EN60598-2-4:1997 usato in conformità con EN 60598-1:2008 + A11:2009 (test report N°0146CE13 • N°0260CE16)



Declaration of European conformity
Dichiarazione di conformità Europea

L001

Lighting time

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2009

EN — L001 is a collection of indoor lamps with a iconic design consisting of two polycarbonate diffusers, thanks to its modularity creates up to five different combinations. An aery atmosphere made possible by a translucent diffuser as the glass, but with the features of moulded polycarbonate.

IT — L001 è una collezione di lampade indoor dal design rigoroso composta da elementi, tra i quali due diffusori in policarbonato capaci di creare fino a cinque diverse combinazioni. Un'atmosfera eterea resa possibile da un diffusore traslucido come il vetro, ma con tutte le qualità del policarbonato stampato.



MEETING



LOUNGING



EATING

EATING

Lighting lampada L001SW/A
Side chair sedia Osaka
Armchair poltrona Osaka
Modular seating seduta modulare Modus
Table tavolo Inox



EATING



WAITING



Lighting
Lampada



Polycarbonate diffuser,
white glossy finish
Diffusore in polycarbonato,
finitura bianco lucido




L001S/A



Two polycarbonate
diffusers, glossy finish
Due diffusori in polycarbonato,
finitura lucida

L001S/AA







L001TA/AA



L001TA/A



**Polycarbonate diffuser,
matt black laquered**
Diffusore in policarbonato
laccato nero opaco

L001W40/A



Steel tube frame
Telaio in tubo di acciaio

L001W40/B



L001W20/AA



L001W90/B





L001T/B



L001T/BA



Transparent atmospheres

IMM 2018
Cologne, Germany

Project: Exhibition stand
Architect: CalviBrambilla
Products: L001SW/BA lighting,
Fox armchair, Babila table



Pedrali Solid Geometry

Salone Internazionale
del Mobile 2017
Milan, Italy

Project: Exhibition stand
Architect: CalviBrambilla
Products: L001CW/AA and L001ST/B
lighting, Arki-Table, Babila armchair

Industrial Symphony

Pedrali Headquarters,
Mornico al Serio, Italy

Project: Showroom
Architect: CalviBrambilla
Products: L001CW/AA lighting,
Jazz barstool, Ikon table





Cadebasi Franciacorta

Erbusco, Italy

Project: Café & Restaurant
Products: L001CW/AA lighting,
 Jil barstool, Babila side chair,
 Arki-Base table, Arki-Table, Modus
 modular seating, Dome side chair

Pedrali Urban Life

Salone Internazionale
 del Mobile 2016
 Milan, Italy

Project: Exhibition stand
Architect: Migliore+Servetto Architects
Products: L001CW/A and L001CW/B
 lighting, Social and Social Plus modular
 seatings, Inox table, Malmö table,
 Stylus table, Babila barstool



Temporary Installation

Bergamo, Italy

Project: Coffee bar

Products: L001S/B lighting,
Day Dream chair



Pedrali Urban Life

Salone Internazionale
del Mobile 2016
Milan, Italy

Project: Exhibition stand

Architect: Migliore+Servetto Architects

Products: L001W90/A lighting, Modus
modular seating, Inox table, Tivoli side chair
and armchair, Malmö side chair and armchair,
Ester side chair and armchair



Pedrali Light Frames

Salone Internazionale
del Mobile 2015
Milano, Italy

Project: Exhibition stand
Architect: Migliore+Servetto Architects
Product: L001 ST/B lighting, Malmö Relax
loung armchair and coffee table

Pedrali Flying Boxes

Salone Internazionale
del Mobile 2014
Milano, Italy

Project: Exhibition stand
Architect: Migliore+Servetto Architects
Product: L001 S/A lighting,
Brera barstool



L001S/A

Suspension lamp with polycarbonate diffuser




L001S/B

Suspension lamp with polycarbonate diffuser



L001SW/A

Suspension lamp with polycarbonate diffuser



L001SW/B

Suspension lamp with polycarbonate diffuser



L001S/AA* (A+A)

Suspension lamp with two polycarbonate diffusers



L001S/BB* (B+B)

Suspension lamp with two polycarbonate diffusers



L001SW/AA* (A+A)

Suspension lamp with two polycarbonate diffusers



L001S/BA* (B+A)

Suspension lamp with two polycarbonate diffusers




L001SW/BA* (B+A)

Suspension lamp with two polycarbonate diffusers



*Inner diffuser = colour BI only / Diffusore interno = solo colore BI

ceiling rose / rosone



electrical features / caratteristiche elettriche

- L001S Light: MAX 1X75W E27 220-240V 50-60 Hz IP20 Class I
- L001SW Light: MAX 1X23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

L001S
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report N°0262CE12)

L001SW
EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)

CE Declaration of European conformity
Dichiarazione di conformità Europea

SIZES / DIMENSIONI

L001CW/A_3, 6, 8

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



L001CW/B_3, 6, 8

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



L001CW/AA*_3, 6, 8

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



L001CW/BA*_3, 6, 8

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



*Inner diffuser = colour BI only / Diffusore interno = solo colore BI

FINISHES / FINITURE

cable clamp / fissacavo



NEF
Matt black
Nero opaco

electrical features / caratteristiche elettriche

- L001CW Light: MAX 1X23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

L001CW
EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)



Declaration of European conformity
Dichiarazione di conformità Europea

SIZES / DIMENSIONI

L001TA/A

Table lamp, steel frame, polycarbonate diffuser



L001TA/AA* (A+A)

Table lamp, steel frame, two polycarbonate diffusers




*Inner diffuser = colour BI only / Diffusore interno = solo colore BI

FINISHES / FINITURE

steel base / base in acciaio



_BI300
White
Bianco



_NERO
Black
Nero

electrical features / caratteristiche elettriche

- L001TA Light: MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II

Light bulb included / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4: 1997 used in compliance with EN 60598-1:2008+A11:2009 (test report N°0087CE10)
EN60598-2-4: 1997 used in conjunction with EN 60598-1:2008+A11:2009 (test report N°0087CE10)




Declaration of European conformity
Dichiarazione di conformità Europea

SIZES / DIMENSIONI

L001W20/A

Wall lamp with visible black cable,
matt steel frame, polycarbonate diffuser




L001W20/AA* (A+A)

Wall lamp with visible black cable,
matt steel frame, polycarbonate diffusers



L001W40/A

Wall lamp with visible black cable,
matt steel frame, polycarbonate diffuser



L001W40/AA* (A+A)

Wall lamp with visible black cable,
matt steel frame, polycarbonate diffusers



L001W40/B

Wall lamp with visible black cable,
matt steel frame, polycarbonate diffuser



L001W40/BA* (B+A)

Wall lamp with visible black cable,
matt steel frame, polycarbonate diffuser



L001W90/A

Wall lamp with visible black cable,
matt steel frame, polycarbonate diffuser



L001W90/AA* (A+A)

Wall lamp with visible black cable,
matt steel frame, polycarbonate diffusers



L001W90/B

Wall lamp with visible black cable,
matt steel frame, polycarbonate diffuser



L001W90/BA* (B+A)

Wall lamp with visible black cable,
matt steel frame, polycarbonate diffuser



*Inner diffuser = colour BI only
Diffusore interno = solo colore BI


FINISHES / FINITURE

cable clamp / fissacavo



NEF
Matt black
Nero opaco

frame / struttura



NEF
Matt black
Nero opaco



_OA
Antique brass
Ottone anticato

electrical features / caratteristiche elettriche

- L001W Light: MAX 1X23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI


EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)

CE Declaration of European conformity
Dichiarazione di conformità Europea

SIZES / DIMENSIONI


L001ST/B

Floor lamp, steel frame,
polycarbonate diffuser



L001ST/BA* (B+A)


Floor lamp, steel frame,
two polycarbonate diffusers



*Inner diffuser = colour BI only
Diffusore interno = solo colore BI

FINISHES / FINITURE

steel base / base in acciaio



electrical features / caratteristiche elettriche

- **L001ST Light:** MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II

Light bulb included / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008+A11:2009 (test report N°0087CE10)
EN60598-2-4:1997 used in conjunction with EN 60598-1:2008+A11:2009 (test report N°0087CE10)



SIZES / DIMENSIONI

L001T/B

Floor lamp version with a steel base,
polycarbonate diffuser, foot pedal to switch on



L001T/BA* (B+A)

Floor lamp version with a steel base, two
polycarbonate diffuser, foot pedal to switch on



*Inner diffuser = colour BI only
Diffusore interno = solo colore BI

FINISHES / FINITURE

steel base / base in acciaio



electrical features / caratteristiche elettriche

- **L001T Light:** MAX 1X100W E27 220-240V 50-60 Hz IP20 Class I

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI


EN60598-2-4:1997 used in compliance with EN 60598-1:2008 (test report N°0285CE09)
EN60598-2-4:1997 usato in conformità con EN 60598-1:2008 (test report N°0285CE09)




FINISHES / FINITURE

polycarbonate diffuser / diffusore in policarbonato


transparent / trasparente



solid colour



soft-touch coated / verniciato finitura soft-touch



L002

Lighting Time

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2011

EN — Distinguished by soft and sinuous shapes, the L002 collection is the result of combining two moulded polycarbonate shells.

The inner shell diffuses the light and hides the bulb, while the outer diffuser comes in different colours.

IT — Caratterizzata da forme morbide e sinuose, la collezione L002 nasce dall'unione di due gusci in polycarbonato stampato. Il guscio interno diffonde la luce nascondendo la lampadina; quello esterno può essere in diversi colori.



Lighting lampada L002T/BA
Sofa divano Social Plus
Coffee table tavolino Code



EATING



WORKING



WORKING

WORKING



Lighting lampada L002T/BA
Armchair poltrona Laja
Table tavolo Arki-Table
Pot vaso Kado 2
Umbrella stand portaombrelli Brik
Clotheshanger appendiabiti Flag Wall


Lighting
Lampada

Polycarbonate diffusers
white glossy finish
Diffusori in polycarbonato
bianco lucido



L002S/BA

Stainless steel
hanging cable
and transparent
electric cable
Cavo in acciaio
portante con cavo
elettrico trasparente



SUSPENSION / SOSPENSIONE



WALL / DA PARETE









Private house

Milan, Italy

Project: Private house

Products: L002T/BA and L002ST lighting,
Noa side chair, Arki-Table

Transparent atmospheres

IMM 2018
Cologne, Germany

Project: Exhibition stand

Architect: CalviBrambilla

Products: L002SW/BA lighting,
Arki-Table, Nym side chair and armchair





Private office

Bergamo, Italy


Project: Office

Products: L002ST/BA lighting,
Host modular seating,
Noa side chair

SIZES / DIMENSIONI


L002S/BA

Suspension lamp with
two polycarbonate diffusers



L002SW/BA


Suspension lamp with two
polycarbonate diffusers




Inner diffuser = colour BI only / Diffusore interno = solo colore BI

FINISHES / FINITURE

ceiling rose / rosone



RB



RN

electrical features / caratteristiche elettriche

- Light L002S: MAX 1x75W E27 220-240V 50-60Hz IP20 Class I
- Light L002SW: MAX 1x23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

L002S
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report 0262CE12)


L002SW
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report 0262CE12)

CE Declaration of European conformity
Dichiarazione di conformità Europea

SIZES / DIMENSIONI

L002CW/BA_3, 6, 8

Suspension lamp with two polycarbonate diffusers, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



Inner diffuser = colour BI only / Diffusore interno = solo colore BI

FINISHES / FINITURE

cable clamp / fissacavo



NEF
Matt black
Nero opaco

electrical features / caratteristiche elettriche

- Light L002CW: MAX 1x23W E27 220-240V 50-60Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI


L002CW
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report 0262CE12)



SIZES / DIMENSIONI

L002W40/BA

Wall lamp with visible black cable and steel frame in matt finish, two polycarbonate diffusers



L002W90/BA

Wall lamp with visible black cable and steel frame in matt finish, two polycarbonate diffusers



Inner diffuser = colour BI only / Diffusore interno = solo colore BI

FINISHES / FINITURE

cable clamp / fissacavo



NEF
Matt black
Nero opaco

steel frame / struttura in acciaio



NEF
Matt black
Nero opaco



_OA
Antique brass
Ottone anticato

electrical features / caratteristiche elettriche

- Light L002W: MAX 1X23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI


EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report 0262CE12)



SIZES / DIMENSIONI


L002T/BA

Polycarbonate diffusers, steel frame



L002ST/BA

Two polycarbonate diffusers, steel frame



FINISHES / FINITURE

polycarbonate diffuser / diffusore in policarbonato

transparent / trasparente



TR



GT




RT

solid colour



NE



BI

soft-touch coated / verniciato finitura soft-touch




GA

FINISHES / FINITURE

steel base / base in acciaio



_BI300
White
Bianco



_NERO
Black
Nero



_OA
Antique brass
Ottone anticato
L002ST/BA
only

electrical features / caratteristiche elettriche

- Light L002T: MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

- Light L002ST: MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II

Light bulb included / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

L002T
EN60598-2-4:1997 used in compliance with EN 60598-1:2008 (test report N°0146CE11)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report N°0146CE11)

L002ST
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report 0262CE12)



Declaration of European conformity
Dichiarazione di conformità Europea

L004

Lighting Time

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2014

EN — L004 is a natural development of model L002. The outer diffuser vanishes showing the sinous outlines of the inner diffuser in moulded polycarbonate. Defined by soft sleek lines, the collection consists of suspension lamps.

IT — L004 nasce da un'evoluzione naturale di L002. Il guscio esterno scompare a scoprire le linee sinuose del diffusore interno in policarbonato stampato. Caratterizzata da morbidezza e sinuosità, la collezione si compone di lampade a sospensione.

EATING

Lighting lampada L004S/A
Chair sedia Brera
Table tavolo Fabbrico
Barstool sgabello Brera



EATING

EATING

Lighting lampada L004SW/A
Chair sedia Frida
Table tavolo Inox





Lighting Lampada





Visible cable and matt
painted metal frame
available in two sizes
Cavo a vista e braccio
in metallo verniciato
opaco in due dimensioni



Transparent atmospheres

IMM 2018
Cologne, Germany

Project: Exhibition stand

Architect: CalviBrambilla

Products: L004SW/A lighting, Babila armchair and table, Babila Comfort lounge chair, Malmö coffee table, Fox armchair



Ironie Office

Orgatec 2016
Cologne, Germany

Project: Exhibition stand
Architect: CalviBrambilla
Products: L004S/A lighting,
Arki-Table, Dome side chair





Private house

Desenzano del Garda, Italy

Project: Private house

Products: L004SW/A lighting,
Babila side chair, Ikon Big table

Industrial Symphony

Pedrali Headquarters,
Mornico al Serio, Italy

Project: Showroom

Architect: CalviBrambilla

Products: L004SW/A lighting,
Arki-Table, Laja Wings armchair,
Vic armchair, Ikon table



SIZES / DIMENSIONI

L004S/A

Polycarbonate diffuser,
white ceiling rose transparent cable




L004SW/A

Polycarbonate diffuser,
black ceiling rose and cable



FINISHES / FINITURE

ceiling rose / rosone



electrical features / caratteristiche elettriche

- **Light L004S:** MAX 1x75W E27 50-60Hz 220-240V IP20 Classe I
- **Light L004SW:** MAX 1x23W E27 220-240V IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

L004S
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report N°0262CE12)

L004SW
EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)



SIZES / DIMENSIONI

L004CW/A_3/6/8

Suspension lamp with two
polycarbonate diffusers, cable
length 3000, 6000, 8000 mm,
with 2, 4, 5 cable clamp



FINISHES / FINITURE

cable clamp / fissacavo



NEF
Matt black
Nero opaco

electrical features / caratteristiche elettriche

- **Light L004CW:** MAX 1x23W E27 220-240V IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI


EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)



SIZES / DIMENSIONI

L004W40/A

Wall applique version, visible black cable and powder coated steel frame in matt finish



L004W90/A

Wall applique version, visible black cable and powder coated steel frame in matt finish



FINISHES / FINITURE

cable clamp / fissacavo



NEF

Matt black
Nero opaco

steel frame / struttura in acciaio



_OA

Antique brass
Ottone anticato



NEF

Matt black
Nero opaco

electrical features / caratteristiche elettriche

- **Light L004W:** MAX 1x23W E27 220-240V 50-60Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)



Declaration of European conformity
Dichiarazione di conformità Europea

FINISHES / FINITURE

polycarbonate diffuser / diffusore in policarbonato

soft-touch coated / verniciato finitura soft-touch



BE



GA



RM



NS



VE

Time Out

Soft atmosphere

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2011

EN — Time Out is a floor lamp in polyethylene designed to illuminate gardens, terraces and outdoor spaces. Simple and well-made, its archetyp design offers practical handling. Time Out is particularly suitable for valorizing contemporary or classic environments.

IT — Time Out è una lampada da terra in polietilene stampato pensata per illuminare giardini, terrazze e zone outdoor. Pratica da movimentare, grazie alla sua forma archetipica, Time Out è particolarmente adatta per inserirsi in ambienti contemporanei o classici.



Lighting
Lampada



**Floor lamp in rotational
moulded polyethylene**
Lampada da terra in polietilene
stampato in rotazionale

T_OUT/BI_LUCE



Touchpoint Co-Design experiments

La Triennale di Milano, Italy

Project: Temporary conference room

Products: Time Out lighting,
Happy Apple lighting, Giravolta lighting,
Ara Lounge armchair, Nolita table.



Nò-Do

Paratico, Italy

Project: Restaurant

Products: Time Out lighting,
Happy Apple lighting, Ara side chair
and armchair, Ikon table, Twig chair,
Ypsilon table





Private house

Bergamo, Italy

Project: Outdoor
Products: Time Out lighting,
Tetris bar counter, Kado pot

SIZES / DIMENSIONI


T_OUT/BI_LUCE
Polyethylene lighting

T_OUT_FIX
Floor fixing kit



FINISHES / FINITURE

polyethylene / polietilene



BI

electrical features / caratteristiche elettriche

- **Light:** MAX 2x27W E27 220-240V 50/60 Hz IP44 Class II

Lighting kit included / Kit illuminazione compreso

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008 + A11:2009 (test report N°0280CE11)
EN60598-2-4:1997 used in conjunction with EN 60598-1:2008 + A11:2009 (test report N°0280CE11)

CE Declaration of European conformity
Dichiarazione di conformità Europea

Happy Apple

Lighting temptation

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2012

EN — Happy Apple is a collection of lamps made-up of polyethylene lighting body that perfectly fits both indoor and outdoor use. Multipurpose and versatile, it can be a suspension lamp, a floor lamp or an applique.

IT — Happy Apple è una collezione di lampade realizzata con corpo illuminante in polietilene che si adatta perfettamente sia all'uso interno sia alla collocazione outdoor. Polivalente e versatile, può essere una lampada a sospensione, da terra, oppure un'applicque da parete.



WORKING


WORKING

Lighting lampada Happy Apple
Armchair poltrona Log
Table tavolo Arki-Table
Coffee table tavolino Code
Lounge armchair poltrona lounge Log




Lighting
Lampada











Private house

Brescia, Italy

Project: Private house
Products: Happy Apple 330E, 331E, 332E lighting



Bulgari Hotel Milano

Milan, Italy

Project: Temporary installation
Architect: Migliore+Servetto Architects
Product: Happy Apple 330E, 331E, 332E lighting





Štravs Gostilna

Šmarje pri Jelšah, Slovenia

Project: Restaurant

Architect: Ab objekt d.o.o.

Products: Happy Apple 330E, 331 E, 332E lighting, Ikon table, Babila armchair, Malmö armchair, Osaka Metal barstool, Gliss Lounge armchair

Settepertredici

Brescia, Italy

Project: Outdoor

Products: Happy Apple 330E, 331 E, 332E lighting, Host Lounge modular seating, Igloo bar counter, Rubik barstool





A Wheel for Pedrali

Salone Internazionale
del Mobile 2012
Milan, Italy

Project: Exhibition stand
Architect: Migliore+Servetto Architects
Products: Happy Apple 330E,
331 E lighting, Tetris bar counter

Green Design

Piazza Antico Lavatoio
Bergamo, Italy

Project: Temporary installation
Products: Happy Apple 330E lighting,
Ikon bench modular seating,
Giravolta lighting, Ara Lounge armchair



SIZES / DIMENSIONI

330E

Floor polyethylene lighting for outdoor



Suspension polyethylene lighting for outdoor



331E

Floor polyethylene lighting for outdoor



Suspension polyethylene lighting for outdoor



332E

Floor polyethylene lighting for outdoor




FINISHES / FINITURE

polyethylene / polietilene



cable, cap and handle / cavo, tappo e maniglia



BI



VE

electrical features / caratteristiche elettriche

- **Light:**
330E MAX 1x15W E27 220-240V 50/60 Hz IP20 Class II
331E • 332E: MAX 1x32W E27 220-240V 50/60 Hz IP65 Class II

Light bulb included / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008 + A11:2009
EN60598-2-4:1997 usato in conformità con EN 60598-1:2008 + A11:2009



Declaration of European conformity
Dichiarazione di conformità Europea

SIZES / DIMENSIONI

330

Floor polyethylene lighting



330S

Suspension polyethylene lighting



331

Floor polyethylene lighting



331S

Suspension polyethylene lighting




332

Floor polyethylene lighting



330A

Wall/ceiling polyethylene lighting




FINISHES / FINITURE


polyethylene / polietilene

cap and handle / tappo e maniglia


ceiling rose / rosone



BI



BI



RB

electrical features / caratteristiche elettriche

- **Light:**
330S • 331S: MAX 1x32W E27 220-240V 50/60 Hz IP20 Class II
330A: MAX 1x32W E27 220-240V 50/60 Hz IP20 Class II
330: MAX 1x15W E27 220-240V 50/60 Hz IP20 Class II
331 • 332: MAX 1x32W E27 220-240V 50/60 Hz IP20 Class II
Light bulb included / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008 + A11:2009
EN60598-2-4:1997 usato in conformità con EN 60598-1:2008 + A11:2009



Declaration of European conformity
Dichiarazione di conformità Europea

Pedrali Lighting | Edition June 2018

Creative & design direction Leftloft

Print Intese Grafiche

Copyright © 2018, Pedrali S.p.A. All rights reserved

Photo credits

BHM Studio

Beppe Brancato

Mattia Pagani

Ottavio Tomasini

Chiara Berselli

Elisabetta Brian

Matej Lozar

Thanks to

Alessi

Bohem Fiori

CC-Tapis

Gio Pastori

Interno 8

Livellara

Marazzi

Mario Luca Giusti

Mepra

Moleskine

Society

Styling

Elena Caponi

Sissi Valassina

Pesi, dimensioni e colori sono indicativi. Pedrali si riserva la facoltà di apportare modifiche o migliorie senza alcun preavviso.

Weights, measurements and colours are indicative. Pedrali reserves the right to modify or upgrade the products without prior notice.

Industrial property right | Diritto di proprietà industriale

I contenuti del presente catalogo, quali, a titolo esemplificativo, le opere, le immagini, le fotografie, i documenti, i disegni, le figure, i loghi ed ogni altro materiale, in qualsiasi formato, pubblicato sono protetti a livello mondiale dal diritto d'autore e da ogni altro diritto di proprietà intellettuale di PEDRALI.

The contents of the present catalogue such as, by way of example, the works, the images, the pictures, the documents, the drawings, the forms, the logos and all other materials, published in any format, are worldwide protected by copyrights and any other industrial intellectual property right of Pedrali.

